

Fig. 1




Fig. 2




Fig. 3

	200	Splice	E-box-like		
HUMAN	AAGGGTGCAGGAAAC	CTGAAATAAATGTTCTCCCCTGAAGCCCTCTTCCCTGCCAAC			
MOUSE	CGGAGAAGAAAGACTGAG-	-ACAAATGTTCTGTCGCCCTACCCAAC			
HUMAN	CAGACCAGCAACTTCC	AAATTCTGCCCGTG---TTTAGCCTTGTAAAGGGTAGGGACATCTCG			
MOUSE	CGGACCACAACTTCC	AGGAAGGTTCTGCGAGGCATAGGCCATTAGGGACATCTCG			
HUMAN	CTCCTTCAGGGAAAGTGGAAAAG--GGGATCTGATTAA	---TTGAGGTGTGGAAAGGAAT			
MOUSE	GTGCTTCTGAGGAAGGGACCGAGCAGGGATCCGATGACG	ACTGGAGATGTGGAAAGGAAT			
HUMAN	AAATAATCAGTCCACAA	AAACTGTCC--GGGATTCCCTAGAGGGAAAGGAAT			
MOUSE	AAATA-CCAGTCCACAA	AAACTGTCCCCGGGATTCCCTAGAGGGAAAGGACCGC			
HUMAN	CTTGAAAG----GAGATCCAAAGTCGCTCCAGGTCTGCCGAATAATATC				
MOUSE	TTGAAGGTCGGGAAACTCCGAGTCGGCTGTGCCTCAAGGT-TGGCATAAATATT				
					475

Fig. 4

(1250)

HUMAN	TGCCATTCCAATC-CAGCGGTTTGCTTTGAATCCATTACACCTGGGCCCATTAATTAA
MOUSE	GCCC--TACACGCTCAGTCCGTTGCTC-TGAACCCATTACAACCTAGGCCCGATAATTAA
HUMAN	GGAATCTAATTATCGCTTCATCACTCATTAAATAA-----GAAAATGTCCCAGGAT
MOUSE	AGAAATCTAATTATCGCCTCTCATCCATTAAATAAATAAATCTCCAGGCT
HUMAN	CATTGCTACTTACAAGGTCTTGGGAGAGATATTACTCTTAAATCCATTCTATTAA
MOUSE	CTTCCCTACTTACAAGGTCTTGGGCAAAATCTCTGCCAACTTCATCAATTGATGTTA
HUMAN	TATTTCAATTGA-----TTTTTTAACAGGAAAGTGGCTATC--TTTTTGTGTTG
MOUSE	TATTTCAAACTAAACTTCTTTATTTCACAGGAACAGGGTTTTAATTGCTCTG
HUMAN	GGCATGTGGCCCATTCACCAAAATGTGATCATAAAATAAAGATAACT-
MOUSE	GACACGTGGCTCGTTAAACAAAATGTGATAATAAAAATTTATAAGATGAACTC
HUMAN	-TTTTAAAAGTTCAAGTGAAGACGGAGTCGCCGGAGG-----CCGGGGCGG
MOUSE	ATTTTTAAAGTCCTCAAGTAACTTGAGCTGGGGGGAGATCTGGCTAAGAGCAT
HUMAN	CGGGGTCTAGAGCCGACGGATTCCCTGGCTCCTCGCCCCGATTGGGCCGGACTCCT
MOUSE	CTGGGTCTAGAGCCGACGGATTCAAGGCTCCTCGTTGATTGGTGCATCCTCTCG
HUMAN	CAGCTGCCGGTGAATTGGCTCAAAGTCCGGAGGGGGCGTGGCCCTGAAAGTAAAAA
MOUSE	CAGCTGCCAGATGATTGGTGCACAAACTCCTGGGGGGCGCTGAAAGTAAAAA
HUMAN	CTCGCTTTAGCAAGAAGACTTTGAACATTCCCAATCCCTAAAGGGACTTGGCCTC-
MOUSE	CTCGCTTTAGCCAGAAGACTTTGAACATTCCCAATCCCTAAAGGGACTTGGCCTC

Forkhead-like

[GAAAGTAAAAA]